

Deceased kidney donors used in 2019, by donor country, by characteristic

| Age | A | B | D | H | HR | L | NL | SLO | Total |
|--------------|------------|------------|------------|------------|-----------|----------|------------|-----------|-------------|
| 0-15 | 7 | 7 | 36 | 8 | 4 | | 6 | 1 | 69 |
| 16-55 | 83 | 144 | 381 | 89 | 42 | 2 | 107 | 9 | 857 |
| 56-64 | 32 | 48 | 160 | 29 | 19 | 2 | 50 | 6 | 346 |
| >=65 | 37 | 29 | 221 | 25 | 24 | | 69 | 15 | 420 |
| Total | 159 | 228 | 798 | 151 | 89 | 4 | 232 | 31 | 1692 |

| Gender | A | B | D | H | HR | L | NL | SLO | Total |
|--------------|------------|------------|------------|------------|-----------|----------|------------|-----------|-------------|
| Female | 71 | 95 | 369 | 62 | 33 | 2 | 113 | 17 | 762 |
| Male | 88 | 133 | 429 | 89 | 56 | 2 | 119 | 14 | 930 |
| Total | 159 | 228 | 798 | 151 | 89 | 4 | 232 | 31 | 1692 |

| Blood group | A | B | D | H | HR | L | NL | SLO | Total |
|--------------|------------|------------|------------|------------|-----------|----------|------------|-----------|-------------|
| A | 70 | 100 | 329 | 54 | 37 | 1 | 94 | 14 | 699 |
| AB | 9 | 9 | 39 | 19 | 8 | | 7 | 1 | 92 |
| B | 28 | 11 | 104 | 28 | 14 | | 27 | 4 | 216 |
| O | 52 | 108 | 326 | 50 | 30 | 3 | 104 | 12 | 685 |
| Total | 159 | 228 | 798 | 151 | 89 | 4 | 232 | 31 | 1692 |

| Cause of death | A | B | D | H | HR | L | NL | SLO | Total |
|----------------|------------|------------|------------|------------|-----------|----------|------------|-----------|-------------|
| Accident | 22 | 57 | 103 | 29 | 16 | | 37 | 9 | 273 |
| Natural | 126 | 135 | 694 | 118 | 71 | 4 | 160 | 19 | 1327 |
| Suicide | 5 | 27 | | 2 | 2 | | 24 | 3 | 63 |
| Other | 6 | 9 | 1 | 2 | | | 11 | | 29 |
| Total | 159 | 228 | 798 | 151 | 89 | 4 | 232 | 31 | 1692 |